



# THE COLSON COMPANY

— SERVING BUSINESS SINCE 1892 —

EPA Region 5 Records Ctr.



353552

February 17, 1989

RECEIVED  
FEB 23 1989

Mr. Alan Altur  
Remedial Unit  
United States Environmental Protection Agency  
Region V  
230 South Dearborn Street  
Chicago, Illinois 60604

SUPERFUND PROGRAM  
MANAGEMENT BRANCH

Dear Mr. Altur:


This letter confirms our telephone conversation of yesterday. I advised you that my letter of February 7, 1989 contained an error and that we now realize that the mistake described therein (relating to the erroneous listing of I054 on the Part A filed in 1981) was ours and not the IEPA's. I reiterated that our company has never used chrome (K054) in our business activities or had an incinerator on the site. You therefore agreed with our conclusion that we may not, after all, be a site in need of the kind of examination previously contemplated. You indicated that you had referred the matter to your supervisor for review. If you have some idea when we can expect to hear from him concerning the site review, please let us know. It will greatly facilitate any necessary schedule adjustments.

In our conversation, you agreed that I should write concerning our Part A mistakes, so that your file would reflect acknowledgment and correction of the errors. If this letter does not suffice, please let me know.

I look forward to hearing from you.

Thank you,

THE COLSON COMPANY

  
John E. Jedd  
President

JEJ:dmf:ch

cc: Mr. William Schaefer

RECEIVED

FEB 23 1989

Pre-Remedial  
Unit